Reply to Office action of: April 8, 2004 Attorney Docket No.: ARC920010009US1

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in this application:

<u>Listing of Claims:</u>

1. (Currently amended) A method for automatic relevance-based preloading data to a computing device, comprising:

identifying any one or more of persons or current scheduled tasks prior to the occurrence of the tasks;

analyzing the relevance of stored data to any one or more of the current scheduled tasks or persons;

sorting the stored data based upon the relevance to any one or more of the current scheduled tasks or persons;

setting a predetermined relevance threshold; [[and]]

<u>automatically</u> preloading selected sorted data to the computing device with <u>a</u> relevance <u>score</u> higher than the relevance threshold; <u>and</u>

wherein analyzing the relevance score comprises estimating a proximity of the stored data items to any one or more of persons or current scheduled tasks, based on an association proximity measure and at least one proximity measure.

2. (Currently amended) The method of claim 1, wherein [[the step of]] analyzing the relevance includes estimating a proximity of the stored data items to the any one or more of persons or current scheduled tasks, based

Reply to Office action of: April 8, 2004 Attorney Docket No.: ARC920010009US1

on [[one or more]] <u>the combination</u> of three proximity measures: distance, time, association.

- 3. (Currently amended) The method of claim [[2]] 1, wherein [[the step of]] analyzing the relevance further includes combining the at least three proximity measures into a single relevance score.
- 4. (Currently amended) The method of claim 1, wherein [[the step of]] analyzing the relevance includes analyzing the proximity of information items to any one or more of the current scheduled tasks or persons.
- 5. (Currently amended) The method of claim [[4]] 1, wherein [[the step of]] analyzing the proximity of information items includes measuring proximity in terms of a combination of the association measure along with any one of location and/or time. [[distance, time, and/or association.]]
- 6. (Original) The method of claim 1, wherein preloading selected sorted data to the computing device includes preloading the data to a communication device.
- 7. (Original) The method The method of claim 6, wherein preloading the data to the communication device includes preloading the data to a mobile telephone.
- 8. (Original) The method The method of claim 6, wherein preloading the data to the communication device includes preloading the data to a

Reply to Office action of: April 8, 2004 Attorney Docket No.: ARC920010009US1

personal digital assistant (PDA) device.

- 9. (Currently amended) The method of claim 1, wherein [[the step of]] preloading the data includes preloading the data to a personal computer.
- 10. (Original) The method of claim 1, wherein identifying any one or more of current scheduled tasks or persons includes identifying events scheduled in a user's calendar, locations, and/or time frames.
- 11. (Currently amended) A system for automatic relevance-based preloading information items to a computing device, comprising:

a proximity estimator that determines a proximity of the information items to a user's task based on <u>a combination of measures comprised of at least an association proximity measure and any</u> one or more of [[three]] <u>two</u> proximity measures: distance[[,]] <u>and</u> time [[, association]];

a relevance estimator that combines <u>the combination of measures</u> [[at least two of the three proximity measures]] into a single relevance score;

an information retriever that retrieves information items with a relevance score higher than a predetermined threshold relevance; and

- a device loader that processes the information items retrieved by the information retriever and <u>automatically</u> preloads the retrieved information items to the computing device.
- 12. (Original) The system of claim 11, further including an information catalog that contains a list of the information items to which a user has access.

May 20 04 04:40p SAK 408-323-5112

Application Serial No.: 09/783,666 Amendment dated: May 20, 2004 Reply to Office action of: April 8, 2004 Attorney Docket No.: ARC920010009US1 p.9

13. (Currently amended) The system of claim 12, wherein the relevance estimator combines the combination of measures [[at least two of the three proximity measures]] into a single relevance score by weighting each of the [[at least two]] proximity measures forming part of the combination of measures.

- 14. (Currently amended) The system of claim 12, wherein the relevance estimator combines the combination of measures [[at least two of the three proximity measures]] into a single relevance score by computing a geometric mean of the [[at least two]] proximity measures forming part of the combination of measures.
- 15. (Original) The system of claim 11, wherein the distance proximity measure includes a difference between a user's planned location for a given task and a location of a scheduled task.
- 16. (Original) The system of claim 11, wherein the time proximity measure denotes immediacy of user's tasks.
- 17. (Original) The system of claim 11, wherein the association proximity measure denotes persons and contacts associated with a location and purpose of a given task.
- 18. (Original) The system of claim 11, further including a location tracker that determines the user's location.

Page 5 of 19

Reply to Office action of: April 8, 2004 Attorney Docket No.: ARC920010009US1

19. (Currently amended) A computer software program for automatic relevance-based preloading information items to a computing device, comprising:

means for determining a proximity of the information items to a user's task based on a combination of measures comprised of at least an association proximity measure and any one or more of [[three]] two proximity measures: distance[[,]] and time [[, association]];

means for combining the combination of measures [(at least two of the three proximity measures)] into a single relevance score;

means for retrieving information items with a relevance score higher than a predetermined threshold relevance; and

means for processing the information items retrieved by the retrieving means and <u>automatically</u> preloading the retrieved information items to the computing device.

20. (Currently amended) The computer software program of claim 19, wherein the proximity determining means combines <u>the combination of measures</u> [[at least two of the three proximity measures]] into a single relevance score.

Reply to Office action of: April 8, 2004 Attorney Docket No.: ARC920010009US1

21. (New) A computer program product having a plurality of executable instruction codes for automatic relevance-based preloading information items to a computing device, comprising:

a first set of instruction codes for determining a proximity of the information items to a user's task based on at least three proximity measures: distance, time, and association;

a second set of instruction codes for combining the at least three proximity measures into a single relevance score;

a third set of instruction codes for retrieving information items with a relevance score higher than a predetermined threshold relevance; and

a fourth set of instruction codes for processing the information items retrieved by the information retriever and <u>automatically</u> preloading the retrieved information items to the computing device.

- 22. (New) The computer program product of claim 21, further comprising an information catalog that contains a list of the information items to which a user has access.
- 23. (New) The computer program product of claim 22, wherein the second set of instruction codes combines the at least three proximity measures into a single relevance score by weighting each of the at least three proximity measures.
- 24. (New) The computer program product of claim 22, wherein the second set of instruction codes combines the at least three proximity measures into a single relevance score by computing a geometric mean of

Reply to Office action of: April 8, 2004 Attorney Docket No.: ARC920010009US1

the at least three proximity measures.

- 25. (New) The computer program product of claim 21, wherein the distance proximity measure includes a difference between a user's planned location for a given task and a location of a scheduled task.
- 26. (New) The computer program product of claim 21, wherein the time proximity measure denotes immediacy of user's tasks.
- 27. (New) The computer program product of claim 21, wherein the association proximity measure denotes persons and contacts associated with a location and purpose of a given task.
- 28. (New) The computer program product of claim 21, further comprising a fifth set of instruction codes for determining the user's location.